



EASY GLASS® 3KN - Base shoe, top mount



MOD 6908

Aluminium	Stainless steel effect
OUTDOOR	
16.6908.000.18	QS-73 339 / QS-74 335 L = 2500 mm



MOD 6907

Accessories		
	T	
19.6907.919.00	19	L = 5000 mm
19.6907.921.00	20,76 (10 - 0,76 - 10)	L = 5000 mm
19.6907.922.00	21,52 (10 - 1,52 - 10)	L = 5000 mm
19.6907.924.00	24,76 (12 - 0,76 - 12)	L = 5000 mm
19.6907.925.00	25	L = 5000 mm
19.6907.926.00	25,52 (12 - 1,52 - 12)	L = 5000 mm
19.6907.932.00	31,52 (15 - 1,52 - 15)	L = 5000 mm
19.6907.519.00	19	L = 25 m
19.6907.521.00	20,76 (10 - 0,76 - 10)	L = 25 m
19.6907.522.00	21,52 (10 - 1,52 - 10)	L = 25 m
19.6907.524.00	24,76 (12 - 0,76 - 12)	L = 25 m
19.6907.525.00	25	L = 25 m
19.6907.526.00	25,52 (12 - 1,52 - 12)	L = 25 m
19.6907.532.00	31,52 (15 - 1,52 - 15)	L = 25 m

Accessories

EASY GLASS® - Multitool










MOD 6920

Accessories		
	Q	
19.6920.000.00	Q-71	1

International Design Model Protection

Safety Wedge System:  
Glass is being clamped. Drilling is not necessary.

Q-INFO MOD 6908




VSG (2x ESG): Laminated glass from toughened glass  
ESG : Toughened glass

Please note for specifications such as mounting and glass dimension measurements, see the respective certificates.

EASY GLASS® 3KN - Connectors, top mount

Inner corner




**MOD 6313**

Aluminium	Stainless steel effect		
<b>OUTDOOR</b>			
16.6313.008.18	QS-73   339 / QS-74   335		1



Outer corner



**MOD 6314**

Aluminium	Stainless steel effect		
<b>OUTDOOR</b>			
16.6314.008.18	QS-73   339 / QS-74   335		1



EASY GLASS® 3KN - Cladding, top mount

Cladding frontside



**MOD 6920**

<b>304</b>		
<b>INDOOR</b>		
13.6920.008.12	L = 2500 mm	

Cladding backside




**MOD 6921**

<b>304</b>	<b>T</b>	
<b>INDOOR</b>		
13.6921.198.12	19	L = 2500 mm
13.6921.218.12	20,76 - 21,52	L = 2500 mm
13.6921.258.12	24,76 - 25,52	L = 2500 mm
13.6921.328.12	31,52	L = 2500 mm

Q-INFO



MOD 6908



We can cut this article for you based on your specifications for length and required angles. Contact us for details, or see the 'Cutting' information on page 376-378, 382.


Q-INFO

MOD 6920 / 6921



Q-INFO

MOD 6313 / 6314



Q-INFO




Q-23  
Q-cleaner  
300 ml  
19.0601.000.00

**EASY GLASS® 3KN - End fittings, top mount**

Use without cladding

Left + right applicable



**MOD 6734**


Aluminium Stainless steel effect

OUTDOOR

16.6734.008.18	1
----------------	---

Use with stainless steel cladding

Left + right applicable



**MOD 6734**

Zinc Stainless steel effect


OUTDOOR

10.6734.008.20	1
----------------	---

Use without cladding

For stairs

Left + right applicable



**MOD 6736**


Aluminium Stainless steel effect

OUTDOOR


16.6736.008.18	1
----------------	---




**Q-INFO MOD 6734**



**Q-INFO MOD 6736**



EASY GLASS® 3KN - Mounting plates, top mount




**MOD 6957**

Zinc-plated

19.6957.200.15	QS-507 339	1
----------------	------------	---



EASY GLASS® 3KN - Drainage profiles, top mount



**MOD 6948**

Aluminium Stainless steel effect




OUTDOOR

16.6948.008.18		4
----------------	--	---

International Design Model Protection

Q-INFO MOD 6957

**3kN**



Q-INFO MOD 6948

