


Railing bases

EASY GLASS® PRO Y - Base shoe, fascia mount



MOD 6916

Aluminium	Stainless steel effect
OUTDOOR	
16.6916.500.18	QS-560 342 / QS-561 342 L = 5000 mm



International Design Model Protection

Railing bases

EASY GLASS® PRO - Connection pins



MOD 3005


316	
OUTDOOR	
14.3005.000.00	6



Railing bases

EASY GLASS® PRO - Rubber set

For adjustment of the glass




MOD 6906

Accessories		
	T	
19.6906.012.00	12	L = 2500 mm
19.6906.013.00	12,76 (6 - 0,76 - 6)	L = 2500 mm
19.6906.014.00	13,52 (6 - 1,52 - 6)	L = 2500 mm
19.6906.015.00	15	L = 2500 mm
19.6906.017.00	16,76 (8 - 0,76 - 8)	L = 2500 mm
19.6906.018.00	17,52 (8 - 1,52 - 8)	L = 2500 mm
19.6906.019.00	19	L = 2500 mm
19.6906.021.00	20,76 (10 - 0,76 - 10)	L = 2500 mm
19.6906.022.00	21,52 (10 - 1,52 - 10)	L = 2500 mm
19.6906.912.00	12	L = 5000 mm
19.6906.913.00	12,76 (6 - 0,76 - 6)	L = 5000 mm
19.6906.914.00	13,52 (6 - 1,52 - 6)	L = 5000 mm
19.6906.915.00	15	L = 5000 mm
19.6906.917.00	16,76 (8 - 0,76 - 8)	L = 5000 mm
19.6906.918.00	17,52 (8 - 1,52 - 8)	L = 5000 mm
19.6906.919.00	19	L = 5000 mm
19.6906.921.00	20,76 (10 - 0,76 - 10)	L = 5000 mm
19.6906.922.00	21,52 (10 - 1,52 - 10)	L = 5000 mm
19.6906.512.00	12	L = 25 m
19.6906.513.00	12,76 (6 - 0,76 - 6)	L = 25 m
19.6906.514.00	13,52 (6 - 1,52 - 6)	L = 25 m
19.6906.515.00	15	L = 25 m
19.6906.517.00	16,76 (8 - 0,76 - 8)	L = 25 m
19.6906.518.00	17,52 (8 - 1,52 - 8)	L = 25 m
19.6906.519.00	19	L = 25 m
19.6906.521.00	20,76 (10 - 0,76 - 10)	L = 25 m
19.6906.522.00	21,52 (10 - 1,52 - 10)	L = 25 m

NEW

International Design Model Protection


Q-INFO



Fascia mount


Q-INFO

MOD 3005



Q-INFO









MOD 6916



We can cut this article for you based on your specifications for length and required angles. Contact us for details, or see the 'Cutting' information on page 379-381, 383.

EASY GLASS® PRO Y - Base shoe, fascia mount

Q-INFO MOD 6916






VSG (2x ESG): Laminated glass from toughened glass
 ESG : Toughened glass

Please note for specifications such as mounting and glass dimension measurements, see the respective certificates.

For more information, please visit our website: www.q-railing.com



Q-INFO



Q-INFO



Please see pages 22-25 to choose the anchor you need regarding your construction situation.

EASY GLASS® PRO - Rubber set

No adjustment of the glass (fixed mounting)



MOD 6901

Accessories

	T	
19.6901.012.00	12	L = 2500 mm
19.6901.013.00	12,76 (6 - 0,76 - 6)	L = 2500 mm
19.6901.014.00	13,52 (6 - 1,52 - 6)	L = 2500 mm
19.6901.015.00	15	L = 2500 mm
19.6901.017.00	16,76 (8 - 0,76 - 8)	L = 2500 mm
19.6901.018.00	17,52 (8 - 1,52 - 8)	L = 2500 mm
19.6901.019.00	19	L = 2500 mm
19.6901.021.00	20,76 (10 - 0,76 - 10)	L = 2500 mm
19.6901.022.00	21,52 (10 - 1,52 - 10)	L = 2500 mm








19.6901.912.00	12	L = 5000 mm
19.6901.913.00	12,76 (6 - 0,76 - 6)	L = 5000 mm
19.6901.914.00	13,52 (6 - 1,52 - 6)	L = 5000 mm
19.6901.915.00	15	L = 5000 mm
19.6901.917.00	16,76 (8 - 0,76 - 8)	L = 5000 mm
19.6901.918.00	17,52 (8 - 1,52 - 8)	L = 5000 mm
19.6901.919.00	19	L = 5000 mm
19.6901.921.00	20,76 (10 - 0,76 - 10)	L = 5000 mm
19.6901.922.00	21,52 (10 - 1,52 - 10)	L = 5000 mm

19.6901.512.00	12	L = 25 m
19.6901.513.00	12,76 (6 - 0,76 - 6)	L = 25 m
19.6901.514.00	13,52 (6 - 1,52 - 6)	L = 25 m
19.6901.515.00	15	L = 25 m
19.6901.517.00	16,76 (8 - 0,76 - 8)	L = 25 m
19.6901.518.00	17,52 (8 - 1,52 - 8)	L = 25 m
19.6901.519.00	19	L = 25 m
19.6901.521.00	20,76 (10 - 0,76 - 10)	L = 25 m
19.6901.522.00	21,52 (10 - 1,52 - 10)	L = 25 m

NEW

International Design Model Protection

Q-INFO



EASY GLASS® PRO Y - Cladding, fascia mount

Cladding frontside




MOD 6920

Aluminium	Stainless steel effect
OUTDOOR	
16.6920.516.18	L = 5000 mm



Railing bases

EASY GLASS® PRO - Cover / intermediate rubber



MOD 6901

Accessories	
19.6901.001.00	L = 2500 mm



Accessories

EASY GLASS® - Multitool




MOD 6920


Accessories	Q	
19.6920.000.00	Q-71	1

International Design Model Protection

Q-INFO MOD 6901



Q-INFO MOD 6920




Q-INFO MOD 6920



EASY GLASS® PRO Y - Connectors, fascia mount

Inner corner




MOD 6315

Aluminium	Stainless steel effect	
OUTDOOR		
16.6315.016.18	QS-560 342 / QS-561 342	1



Outer corner



MOD 6316

Aluminium	Stainless steel effect	
OUTDOOR		
16.6316.016.18	QS-560 342 / QS-561 342	1




EASY GLASS® PRO Y - End fittings, fascia mount



Use with and without cladding

Left




MOD 6734

Aluminium	Stainless steel effect	
OUTDOOR		
16.6734.016.18		1



Use with and without cladding

Right




MOD 6735

Aluminium	Stainless steel effect	
OUTDOOR		
16.6735.016.18		1



Q-INFO MOD 6734 / 6735



Q-INFO MOD 6315 / 6316

