





# ULTRA RANGE

## HIGH-PERFORMANCE ULTRA RANGE: OUTSTANDING RESISTANCE GUARANTEED

Our Ultra Range provides products of unmatched quality, with extra resistance to tea-staining and pitting. Thanks to durable, corrosion-resistant materials, this range is ideal for swimming pools and coastal areas alike. In fact, we're so confident in the Ultra Range's high performance that we offer a 2 year warranty, quality guaranteed.\*

\* Corrosion-free guarantee for 2 years, subject to terms and conditions.



**MOD 0942**


2205

OUTDOOR

18.0942.242.00	42,4 x 2,0	Q5-500	338	2
----------------	------------	--------	-----	---




International Design Model Protection

**MOD 3901**

2205

OUTDOOR

18.3901.242.12	42,4 x 2,0			1
----------------	------------	--	--	---

**MOD 0510**


2205

OUTDOOR

18.0510.042.12	42,4			2
----------------	------	--	--	---

## Q-INFO

MOD 0942



## Q-INFO






Tube



Ø 42,4



## MOD 28


2205

MONO

OUTDOOR	D	T	
18.2806.042.12	42,4	6	4
18.2808.042.12	42,4	8	4
18.2810.042.12	42,4	10	4
18.2812.042.12	42,4	12	4


2205

LAM.

OUTDOOR	D	T	
18.2807.042.12	42,4	6,76 (3 - 0,76 - 3)	4
18.2841.042.12	42,4	8,38 (4 - 0,38 - 4)	4
18.2809.042.12	42,4	8,76 (4 - 0,76 - 4)	4
18.2844.042.12	42,4	9,52 (4 - 1,52 - 4)	4
18.2811.042.12	42,4	10,76 (5 - 0,76 - 5)	4
18.2854.042.12	42,4	11,52 (5 - 1,52 - 5)	4
18.2813.042.12	42,4	12,76 (6 - 0,76 - 6)	4

DESIGN  
product

International Design Model Protection

Security pins for glass clamps,  
optional use for model 28


## MOD 5015

2205

OUTDOOR	For MOD	L	
19.5015.022.18	MOD 28	22	4

Q-INFO

MOD 5015



Q-INFO



Q-23

Q-cleaner  
300 ml  
19.0601.000.00


Please order security pins and fixing bolts separately.



Wall - tube

**MOD 0110**

2205			
OUTDOOR	Ø		
18.0110.042.12	42,4		2

**MOD 0509**

2205			
OUTDOOR			
18.0509.012.12			2

Wall - tube

**MOD 0116**

2205			
OUTDOOR	Ø		
18.0116.042.12	42,4		2




Tube - tube

**MOD 0690**

2205			
OUTDOOR	D	Ø	
18.0690.242.12	42,4 x 2,0	42,4	2



Tube - tube


**MOD 0698**

2205			
OUTDOOR	D	Ø	
18.0698.242.12	42,4 x 2,0	42,4	2



Q-INFO

MOD 0690 / 0698



Q-INFO



**Q-23**  
Q-cleaner  
300 ml  
19.0601.000.00

Q-INFO



**Q-22**  
Q-ultra-clean  
500 ml  
19.0610.000.00

2205= low nickel content


Q-INFO

MOD 0110 / 0509





Tube - tube

**MOD 0772**

2205


OUTDOOR	D	Ø	⊞
18.0772.242.12	Ø 42,4 x 2,0	42,4	2



Tube - tube




0-70°

**MOD 0776**

2205

OUTDOOR	D	Ø	⊞
18.0776.242.12	Ø 42,4 x 2,0	42,4	2

**MOD 8925 / 0900**


2205

OUTDOOR	Ø	X	⊞
18.8925.242.12	42,4	2,0	L = 2500 mm
18.0900.242.12	42,4	2,0	L = 5000 mm




Q-INFO

MOD 0772



Q-INFO

MOD 0776



Q-INFO

MOD 8925 / 0900


## Calculation basis for tubes

calculated by **ONDRA**

	Ø (mm)	A (cm <sup>2</sup> )	I <sub>x</sub> (cm <sup>4</sup> )	I <sub>y</sub> (cm <sup>4</sup> )	W <sub>x</sub> (cm <sup>3</sup> )	W <sub>y</sub> (cm <sup>3</sup> )	M (kg/m)	R <sub>pe,2</sub> (kN/cm <sup>2</sup> )	R <sub>m</sub> (kN/cm <sup>2</sup> )
18.0900.242.12	42,4	2,58	2,80	5,11	1,66	2,41	2,02	48	66
18.8925.242.12									

A = cross sectional area  
I<sub>x</sub> / I<sub>y</sub> = second moment of area  
W<sub>x</sub> / W<sub>y</sub> = section modulus

M = weight  
R<sub>pe,2</sub> = permissible stress  
R<sub>m</sub> = minimum tensile strength


**MOD 0303**

2205

OUTDOOR	Ø	H	
18.0303.242.12	42,4 x 2,0	30	2



0 - 70°


**MOD 0312**

2205

OUTDOOR	Ø	H	
18.0312.242.12	42,4 x 2,0	27	2

DESIGN  
product

International Design Model Protection


**MOD 5792 - EASY HIT®**

2205

OUTDOOR	Ø	
18.5792.242.00	for 42,4 x 2,0	2



International Design Model Protection

**MOD 0730**



2205

OUTDOOR	Ø	
18.0730.242.12	42,4 x 2,0	2




Q-INFO

MOD 5792



Q-21  
Q-glue  
50 ml  
19.1331.000.00



Q-INFO



Q-22  
Q-ultra-clean  
500 ml  
19.0610.000.00